

**TOP  
DESIGN**

THE ESSENCE OF  
LIGHT, NATURE & LIFE

# Turtle

---

11 Model  
6 Power  
P. 202

# Spider

---

3 Model  
3 Power  
P. 230

TU

BU

LE



Turtle



SLATE 05  
5W - P209



SLATE 10  
10W - P209



SLATE RD07  
7W - P213



SLATE RS07  
7W - P217



SLATE RTS07  
7W - P217



SLATE RS14  
2x7W - P219



SLATE RTS14  
2x7W - P219



SLATE S10  
10W - P223



SLATE S20  
20W - P223



TURTLE PC07  
7W - P227



TURTLE P25  
25W - P229

*Retractable como el cuello de una Tortuga. Turtle adapta su longitud a las necesidades de cada cliente con un diseño sencillo y elegante.*

*Retractable like the neck of a turtle. Turtle adapts its length to the needs of each client with a simple and elegant design.*

**TURTLE**  
TUBULE





Optional colors for housing using TIR lens to avoid stray light



White

Antique

Black



**Zoomtable optics**


Include a small plastic central tool which is not affecting the quality and performance of the projected light. With a single luminaire the lighting can be adapted to the specific needs of each space, creating more welcoming, dynamic or functional atmospheres.

...

Las ópticas zoomtables incluyen un útil plástico central que no afecta a la calidad de la luz proyectada. Con una sola luminaria se puede adaptar la iluminación a las necesidades específicas de cada espacio, creando atmósferas más acogedoras, dinámicas o funcionales.



SLATE D




SLATE



SLATE 05

7IE501 05 - 2 1 M 3 - 90  
1 2 3 4 5 6 7


1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
7IE501	5W	2- ON/OFF 220-240V PF>0,9	1- 5 Years Warranty JISO driver Incl.	M - 38°	3 - 3000K 353 lm system 599 lm source	01- Black 90- Tec. White





SLATE 10

7IE501 10 - 2 1 1 3 - 90  
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
7IE501	10W	2- ON/OFF 220-240V PF>0,9	1- 5 Years Warranty JISO driver Incl.	1 - Zoom 15°-38°	3 - 3000K 594-693 lm system 1197 lm source	01- Black 90- Tec. White






Application hotel, villa, restaurant, residencial area



SLATE RD07



7IE502 07 - 2 1 1 3 - 90  
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
7IE502	7W	<ul style="list-style-type: none"> <li>2- ON/OFF 220-240V PF&gt;0,9</li> <li>3 - 1-10V 200-240V PF&gt;0,95</li> <li>5- Trailing Edge 220-240V PF&gt;0,9</li> <li>D- DALI / PUSH 200-240V PF&gt;0,95</li> <li>SMART CONTROL <i>(See page. 324)</i></li> </ul>	<ul style="list-style-type: none"> <li>1- 5 Years Warranty JISO driver Incl. <i>(Option Driver 2 - 5)</i></li> <li>2- 5 Years Warranty Other driver Incl. <i>(Option Driver 3 - D)</i></li> </ul>	1 - Zoom 15°-38°	<ul style="list-style-type: none"> <li>3 - 3000K 416-485 lm system 838lm source</li> <li>4 - 4000K 427-497 lm system 888 lm source</li> </ul>	<ul style="list-style-type: none"> <li>01- Black</li> <li>03- Antique</li> <li>90- Tec. White</li> </ul>

Accessories not included

Emergency kit *(page 322)*

2DCLEDK1

2DCLEDK2



The above information is basic. For updated and more accurate information, please consult Technical Data Sheet on [www.jisoiluminacion.com](http://www.jisoiluminacion.com)





SLATE RS


SLATE RTS



SLATE RS07

7IE503 07 - 2 1 1 3 - 90  
1 2 3 4 5 6 7


1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
7IE503	7W	<ul style="list-style-type: none"> <li>2- ON/OFF 220-240V PF&gt;0,9</li> <li>3 - 1-10V 200-240V PF&gt;0,95</li> <li>5- Trailing Edge 220-240V PF&gt;0,9</li> <li>D- DALI / PUSH 200-240V PF&gt;0,95</li> <li>SMART CONTROL (See page. 324)</li> </ul>	<ul style="list-style-type: none"> <li>1- 5 Years Warranty JISO driver Incl. (Option Driver 2 - 5)</li> <li>2- 5 Years Warranty Other driver Incl. (Option Driver 3 - D)</li> </ul>	1 - Zoom 15°-38°	<ul style="list-style-type: none"> <li>3 - 3000K 416-485 lm system 838lm source</li> <li>4 - 4000K 427-497 lm system 888 lm source</li> </ul>	<ul style="list-style-type: none"> <li>01- Black</li> <li>90- Tec. White</li> </ul>



SLATE RTS07

7IE603 07 - 2 1 1 3 - 90  
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
7IE603	7W	<ul style="list-style-type: none"> <li>2- ON/OFF 220-240V PF&gt;0,9</li> <li>3 - 1-10V 200-240V PF&gt;0,95</li> <li>5- Trailing Edge 220-240V PF&gt;0,9</li> <li>D- DALI / PUSH 200-240V PF&gt;0,95</li> <li>SMART CONTROL (See page. 324)</li> </ul>	<ul style="list-style-type: none"> <li>1- 5 Years Warranty JISO driver Incl. (Option Driver 2 - 5)</li> <li>2- 5 Years Warranty Other driver Incl. (Option Driver 3 - D)</li> </ul>	1 - Zoom 15°-38°	<ul style="list-style-type: none"> <li>3 - 3000K 416-485 lm system 838lm source</li> <li>4 - 4000K 427-497 lm system 888 lm source</li> </ul>	<ul style="list-style-type: none"> <li>01- Black</li> <li>90- Tec. White</li> </ul>



Accessories not included

Emergency kit (page 322-323)

- 2DCLEDK5
- 2DCLEDK29



The above information is basic. For updated and more accurate information, please consult Technical Data Sheet on [www.jisoiluminacion.com](http://www.jisoiluminacion.com)



Accessories not included

Emergency kit (page 322-323)

2DCLEDK5


2DCLEDK29

SLATE RS14



7IE504 14 - 2 1 1 3 - 90  
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
7IE504	2x7W	<p>2- ON/OFF 220-240V PF&gt;0,9</p> <p>3- 1-10V 200-240V PF&gt;0,95</p> <p>5- Trailing Edge 220-240V PF&gt;0,9</p> <p>D- DALI / PUSH 200-240V PF&gt;0,95</p> <p>SMART CONTROL (See page. 324)</p>	<p>1- 5 Years Warranty JISO driver Incl. (Option Driver 2 - 5)</p> <p>2- 5 Years Warranty Other driver Incl. (Option Driver 3 - D)</p>	1 - Zoom 15°-38°	<p>3 - 3000K 832-970 lm system 1676 lm source</p> <p>4 - 4000K 853-994 lm system 1777 lm source</p>	<p>01- Black</p> <p>90- Tec. White</p>




SLATE RTS14



7IE604 14 - 2 1 1 3 - 90  
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
7IE604	2x7W	<p>2- ON/OFF 220-240V PF&gt;0,9</p> <p>3- 1-10V 200-240V PF&gt;0,95</p> <p>5- Trailing Edge 220-240V PF&gt;0,9</p> <p>D- DALI / PUSH 200-240V PF&gt;0,95</p> <p>SMART CONTROL (See page. 324)</p>	<p>1- 5 Years Warranty JISO driver Incl. (Option Driver 2 - 5)</p> <p>2- 5 Years Warranty Other driver Incl. (Option Driver 3 - D)</p>	1 - Zoom 15°-38°	<p>3 - 3000K 832-970 lm system 1676 lm source</p> <p>4 - 4000K 853-994 lm system 1777 lm source</p>	<p>01- Black</p> <p>90- Tec. White</p>



The above information is basic. For updated and more accurate information, please consult Technical Data Sheet on [www.jisoiluminacion.com](http://www.jisoiluminacion.com)



SLATE S


Surface



7IE201 10 - 2 2 1 3 - 01  
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
7IE201	10W	2- ON/OFF 220-240V PF>0,9	2- 5 Years Warranty Other driver Incl.	1 - Zoom 15°-38°	3 - 3000K 594-693 lm system 1197 lm source  4 - 4000K 609-710 lm system 1269 lm source (01 Black)	01- Black  90- Tec. White


SLATE S10



7IE201 20 - 2 2 1 3 - 01  
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
7IE201	2x10W	2- ON/OFF 220-240V PF>0,9	2- 5 Years Warranty Other driver Incl.	1 - Zoom 15°-38°	3 - 3000K 1189-1385 lm system 2394 lm source  4 - 4000K 1219-1420 lm system 2538 lm source (01 Black)	01- Black  90- Tec. White

SLATE S20



The above information is basic. For updated and more accurate information, please consult Technical Data Sheet on [www.jisoiluminacion.com](http://www.jisoiluminacion.com)

# Turtle P







7IE407 07 - 2 1 M 3 - 03  
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
7IE407	7W	2- ON/OFF 220-240V PF>0,9	1- 5 Years Warranty JISO driver Incl.	M - 38°	3 - 3000K 316 lm system 838 lm source	01- Black 03- Antique 90- Tec. White

TURTLE PC07



TURTLE PC07  
7IE40707



Accessories not included

- Plate. HC7IE40701-01
- ▲ Cone. HC7IE40702-01  
HC7IE40702-03
- ◐ Bowl. HC7IE40703-01
- Tube. HC7IE40704-01  
HC7IE40704-03  
HC7IE40704-90




The above information is basic. For updated and more accurate information, please consult Technical Data Sheet on [www.jisoiluminacion.com](http://www.jisoiluminacion.com)



TURTLE P25

7IE401 25 - 2 1 M 3 - 03  
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
7IE401	25W	2- ON/OFF 220-240V PF>0,9	1- 5 Years Warranty JISO driver Incl.	M - 38°	3 - 3000K 1364 lm system 2993 lm source	03- Antique



The above information is basic. For updated and more accurate information, please consult Technical Data Sheet on [www.jisoiluminacion.com](http://www.jisoiluminacion.com)





Spider



SPIDER P07  
7W - P233



SPIDER P25  
25W - P235



SPIDER P35  
35W - P235

*Rápida e inteligente, estas lámparas bajarán por paredes y techos cual telas de araña para iluminar y personalizar todo tipo de salas.*

*Fast and smart, these lamps will sweep down walls and ceilings like spider webs to illuminate and personalize all kinds of rooms.*



**SPIDER**  
TUBULE






SPIDER P07

7IE202 07 - 2 1 M 3 - 03  
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
7IE202	7W	2- ON/OFF 220-240V PF>0,9	1- 5 Years Warranty JISO driver Incl.	M - 38°	3 - 3000K 352 lm system 838 lm source	03- Antique



Hanging clip 2 uds. included



Accessories not included

Hanging kit (2 uds.)

HC7IE202SP-01



The above information is basic. For updated and more accurate information, please consult Technical Data Sheet on [www.jisoiluminacion.com](http://www.jisoiluminacion.com)




7IE202 25 - 2 1 M 3 - 03  
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
7IE202	25W	2- ON/OFF 220-240V PF>0,9	1- 5 Years Warranty JISO driver Incl.	M - 38°	3 - 3000K 1958 lm system 2993 lm source	03- Antique



Hanging clip 5 uds. included

SPIDER P25




7IE202 35 - 2 1 M 3 - 03  
1 2 3 4 5 6 7

1 - Model	2 - Power	3 - Power Supply	4 - Warranty	5 - Degree	6 - K	7 - Color
7IE202	35W	2- ON/OFF 220-240V PF>0,9	1- 5 Years Warranty JISO driver Incl.	M - 38°	3 - 3000K 2909 lm system 4190 lm source	03- Antique



Hanging clip 8 uds. included

SPIDER P35



Accessories not included

Hanging kit (2 uds.)

HC7IE202SP-01



